



**METAL
ROOF
SUPPLY**

From Takeoff to Drop-off

SHERWIN-WILLIAMS.
Coil Coatings

SMP COATINGS

COLOR
GUIDE

FACTORY DIRECT METAL ROOFING

At Metal Roof Supply, we partner with homeowners and contractors to make high-quality metal roofing & building materials simple, affordable, and stress-free.

BY SELLING FACTORY DIRECT, YOU SAVE MONEY!

You get premium materials at the best possible price. Whether you're building new or replacing your roof, we provide the metal roofing products, expert support, and fast delivery you need to get the job done right.


863-225-2554

MetalRoofSupply.com


3190 Delta Avenue Bartow, FL 33830



IN STOCK



Polar White
SR .64 SRI 77



Ivory
SR .69 SRI 84



Light Stone
SR .56 SRI 65



Saddle Tan
SR .47 SRI 53



Burnished Slate
SR .34 SRI 35



Koko Brown
SR .35 SRI 37



Old Town Gray
SR .41 SRI 45



Charcoal Gray
SR .37 SRI 31



Black
SR .31 SRI 31



Rustic Red
SR .36 SRI 38



Ivy Green
SR .28 SRI 27



Acrylic Galvalume
N/A

SPECIAL ORDER



Gallery Blue
SR .26 SRI 24



Matte Black
SR .26 SRI 25



Black CRINKLE
SR .29 SRI 29



Copper Metallic
SR .51 SRI 58

Color Reference Only

For inquiries and more information about Metal Roof Supply, please contact us at (863) 225-2554 or email by filling out our contact form at metalroofsupply.com. Address: 3190 Delta Avenue Bartow, FL 33830

SHERWIN-WILLIAMS.
Coil Coatings

Sherwin-Williams® is a trademark of SWIMC LLC.



FACTORY DIRECT STEEL PRODUCTS FOR METAL ROOFS & BUILDINGS

> Final color selection should be made from actual color chips.

> For themostcurrent information, visit metalroofsupply.com

> A 40-year limited paint warranty is available for all colors upon written request. Please inquire. (outside the continental United States, please inquire).

> Solar Reflectivity (SR): Solar reflectivity or reflectance is the measure of a material's ability to reflect solar energy or sunlight from its surface. SR values are numbered 0 to 1.0. A value of 0 indicates that the surface absorbs all solar energy and a value of 1.0 indicates total reflectance.

> Solar Reflectance Index (SRI): The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. To meet LEED requirements, a roofing material must have an SRI of 29 or greater for steep slope roofing and an SRI value of 78 or higher for low slope roofing. For more information, visit usgbc.org.



METAL ROOF SUPPLY

Color Name	29ga 40.8750 GR80 AZ50	26ga 41.5625 GR80 AZ50	26ga 41.5625 GR50 AZ50	26ga 43.0000 GR80 AZ50
STANDARD COLORS				\$-\$
Polar White	●	●	●	●
Ivory	●	●	●	●
Light Stone	●	●	●	●
Saddle Tan	●	●	●	●
Burnished Slate	●	●	●	●
Koko Brown	●	●	●	●
Black	●	●	●	●
Old Town Gray	●	●	●	●
Charcoal Gray	●	●	●	●
Rustic Red	●	●	●	●
Ivy Green	●	□	●	●
Acrylic Galvalume	●	●	●	●
SPECIAL ORDER COLORS				\$ \$\$\$
Gallery Blue	●	●	●	●
Matte Black	●	□	●	●
Black Crinkle	●	□	●	●
Copper Metallic	●	●	●	●

● = Stock Color/Width □ = Paint-to-order, minimum required is 20,000 # ★ = Stocked in .023x43" Grade 50

NOTES ON AVAILABILITY

- Metal products, finishes, colors, and sizes available are subject to change without notice.
- Contact a Metal Roof Supply representative for current pricing and availability.
- Color chips shown on reverse side represent the actual color as closely as possible. To ensure color is accurate, request a metal sample before placing your order.
- Metal and finish warranty information available upon request.
- Custom colors and finishes available. Minimum charges and quantities may apply.
- Oil canning is an inherent characteristic of light-gauge, cold-formed metal products does not affect the integrity of metal panels, and is not a cause for rejection.

BUY DIRECT & SAVE

PROUDLY FINISHED WITH

SHERWIN-WILLIAMS.
Coil Coatings



863-225-2554

orders@metalroofsupply.com

metalroofsupply.com