

Legacy M200-C 2" Mechanical Seam

METAL	MAX. WIDTH	SUBSTRATE	FPA	HZVZ	TDI	UL LISTING	CLIP SPACING	NOTES	UPLIFT PRESSURE
.032" Alum	18"	15/32" plywood	✓	✓	✓	✓	9"	E	200
.032" Alum	18"	15/32" plywood	✓	✓	✓	✓	19"	E	167
.032" Alum	18"	22ga B Deck	✓		✓	✓	12"	F, J	166.75
.032" Alum	18"	22ga B Deck	✓		✓	✓	16"	F	114.25
24ga Steel	18"	15/32" plywood	✓	✓	✓	✓	9"	E	228.5
24ga Steel	18"	15/32" plywood	✓	✓	✓	✓	19"	E	194.75
24ga Steel	18"	22ga B Deck	✓		✓	✓	12"	F	181.75
24ga Steel	18"	22ga B Deck	✓		✓	✓	24"	F	148

Notes: E - 90° seam, F - 180° seam, J - With stiffener

This list represents Metal Roof Supply's best effort to summarize current FL Product Approvals and TDI listings and is subject to change without notice. For the most up to date information, visit the [Florida Building Commission](#) and [Texas Department of Insurance](#) websites.